

P-130A

多功能強力渦流乾地送風機

P-130A具有強大的送風能力，能產生高達470CMH的流量，而只消耗2.0安培。這款多用途的強力渦流送風機，適用於乾地、吹塵、清潔、空氣循環傳送等用途。是飯店或商務大廳、走道、潮濕區域、倉庫和浴廁等需要快速解決潮濕、不良空氣問題的好幫手

- 3段風力，4個送風角度，方便實際需要調整
- 收納時，電源線方便收繞線設計
- 內建延長線功能，方便串接第二台風機或是其他產品(須注意電流負荷)
- 輕量化、耐用且可堆疊的工業設計
- 高風量、低能耗，緊密結構設計
- 快速乾燥的地板，廚房櫥櫃，浴室，和更多需要處理空氣通風場所



SPECS	VOLT / CYCLE	POWER	AMPS	AIRFLOW
P-130A	115V / 60Hz	1/5 HP	2A	470 CMH



P-630HC

多功能強力渦流乾地送風機 (附帶拉桿/滾輪及止滑裝置)

加裝拉桿/輪式套件,地毯止滑夾.機器移動省力方便.採用1/2HP馬達風機,提供更大的風量,更有效率的達成作業目標.P-630HC成為您選購同樣產品的首選!

- 3段風力, 3個送風角度, 方便實際需要調整
- 收納時, 電源線方便收繞線設計
- 輕量化、耐用且可堆疊的工業設計
- 方便移動運送,增加工作效率
- 1/2HP馬達, 高風量、低能號, 結構緊密
- 快速乾燥的地板, 廚房櫥櫃, 浴室, 和更多需要處理空氣通風場所



SPECS	VOLT / CYCLE	POWER	AMPS	AIRFLOW
P-630HC	115V / 60Hz	1/2 HP	5 A	2980 CFM



PRODUCT
SPECS



MODEL NO.	P-130A	P-630HC
VOLTS/HERTZ	115V / 60Hz	115V / 60Hz
MOTOR	1/5 HP	1/2 HP
POWER	2 A	5 A
RATED AIRFLOW	800 CFM	2980CFM
SPEEDS	3 Speed	3 Speed
CORD LENGTH	10 Ft.	20 Ft.
OPERATING POSITIONS	0°, 20°, 45° & 90°	0°, 20°, & 90°
STACKABLE	Yes	Yes
DAISY CHAIN	Yes	No
UNIT WEIGHT	9.3 Lbs.	10.2 Lbs.
UNIT DIMENSIONS (LxWxH)	10.7 x 12.4 x 13.3 in	10.7 x 12.4 x 13.3 in
HOUSING	PP	PP
DUAL THERMAL PROTECTION	Yes	Yes